Name


Physics 111 Quiz #5, February 14, 2025

Please show all work, thoughts and/or reasoning to receive partial credit. The quiz is worth 10 points total, and all parts may not be of equal weight.


I affirm that I have carried out my academic endeavors with full academic honesty.

Two horizontal parallel wires of negligible mass and length L=30cm are separated by a distance r=1cm as shown below. Both wires have the same magnitude of current (I) flowing through them where the lower wire's current is flowing left-to-right, and the upper wire's current direction is unknown. The lower wire is fixed in position and cannot move while the upper wire is free to move.


1. As a result of the currents flowing in the two wires, the upper wire experiences an upward magnetic force. Explain the direction of the current flow in the upper wire.



2. The magnetic force on the upper wire causes this wire to move away from the lower wire. Masses are added to the upper wire to return the system to an equilibrium separation of r = 1cm. If a mass of m = 150mg is added to the upper wire, what current I flows in the system?



3. Consider a N=200 turn coil of wire with radius $R_{coil}=0.5cm$ lying in the plane of the page. A long straight wire lies r=60cm to the left of the center of the coil of wire and the current (in amps) in the long straight wire varies in time according to I(t)=4.7-0.2t, for a time t in seconds over the range $0 \le t \le 10$. Explain the direction of the current induced in the coil of wire.



4. What magnitude of voltage is induced across the coil of wire?

5. If the coil of wire has a resistance $R = 3m\Omega$, what magnitude of current flows in the coil of wire?